

# Zoom Video Communications Accessibility Conformance Report

VPAT® Version 2.5

**Name of Product/Version:** Zoom Docs

**Product Description:** Zoom Docs is a tool designed to transform the way you collaborate and track projects. Zoom Docs empowers users to seamlessly draft, organize, and share working materials and documents, whether in or out of meetings.

**Date:** June 24, 2025

**Contact information:** access@zoom.us

**Notes:**

**Evaluation Methods Used:** The following testing was done on Chrome on Windows 11 with NV Access's NVDA screen reader, JAWS, and a standard Keyboard. Testing was also performed on macOS with Apple's Accessibility display options, VoiceOver, and standard keyboard.

## Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0, at <a href="http://www.w3.org/TR/2008/REC-WCAG20-20081211/">http://www.w3.org/TR/2008/REC-WCAG20-20081211/</a>	Level A (Yes) Level AA (Yes)

	Level AAA (No)
Web Content Accessibility Guidelines 2.1 at <a href="https://www.w3.org/TR/WCAG21/">https://www.w3.org/TR/WCAG21/</a>	Level A (Yes) Level AA (Yes) Level AAA (No )
<a href="#">Revised Section 508 standards</a> as published by the U.S. Access Board in the Federal Register on January 18, 2017 <a href="#">Corrections to the ICT Final Rule</a> as published by the US Access Board in the Federal Register on January 22, 2018	(No)
EN 301 549 Accessibility requirements suitable for public procurement of ICT products and services in Europe, - V2.1.2 (2018-08) at <a href="https://www.etsi.org/deliver/etsi_en//301500_301599/301549/02.01.02_60/en_301549v020102p.pdf">https://www.etsi.org/deliver/etsi_en//301500_301599/301549/02.01.02_60/en_301549v020102p.pdf</a>	(No)

## Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

## WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Chapter 10 - Non-Web documents, Section 11.2.1- Non-Web Software (excluding closed functionality), and Section 11.2.2 - Non-Web Software (closed functionality).
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

## Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
<a href="#">1.1.1 Non-text Content</a> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"><li>9.1.1.1 (Web)</li><li>10.1.1.1 (Non-web document)</li><li>11.1.1.1.1 (Open Functionality Software)</li><li>11.1.1.1.2 (Closed Functionality Software)</li><li>11.8.2 (Authoring Tool)</li><li>12.1.2 (Product Docs)</li><li>12.2.4 (Support Docs)</li></ul> Revised Section 508 <ul style="list-style-type: none"><li>501 (Web)(Software)</li><li>504.2 (Authoring Tool)</li><li>602.3 (Support Docs)</li></ul>	Partially supports	<p>The product provides text-alternatives to most non-text content. Programmatic labeling techniques such as aria-labels and alt-text, are used to allow assistive technologies users to decipher the nature and purpose of non-text content.</p> <p>Docs authoring does not yet offer the ability to add alt-text to user uploaded images, however a caption can be added to the image, which is perceivable to the screen reader.</p>

<p><b><u>1.2.1 Audio-only and Video-only (Prerecorded)</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.2.1 (Web)</li> <li>● 10.1.2.1 (Non-web document)</li> <li>● 11.1.2.1.1 (Open Functionality Software)</li> <li>● 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	Not applicable	The product does not have audio-only or video-only content.
<p><b><u>1.2.2 Captions (Prerecorded)</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.2.2 (Web)</li> <li>● 10.1.2.2 (Non-web document)</li> <li>● 11.1.2.2 (Open Functionality Software)</li> <li>● 11.1.2.2 (Closed Software) – Does not apply</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	Not applicable	The product does not have audio-only or video-only content.
<p><b><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.2.3 (Web)</li> <li>● 10.1.2.3 (Non-web document)</li> <li>● 11.1.2.3.1 (Open Functionality Software)</li> </ul>	Not applicable	The product does not have audio-only or video-only content.

<ul style="list-style-type: none"> <li>• 11.1.2.3.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><b>1.3.1 Info and Relationships</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.1 (Web)</li> <li>• 10.1.3.1 (Non-web document)</li> <li>• 11.1.3.1.1 (Open Functionality Software)</li> <li>• 11.1.3.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Supports	The product framework, such as toolbars and document portals, programmatically presents the visual structure, context, and relationships between elements to assistive technologies.
<p><b>1.3.2 Meaningful Sequence</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.2 (Web)</li> <li>• 10.1.3.2 (Non-web document)</li> <li>• 11.1.3.2.1 (Open Functionality Software)</li> <li>• 11.1.3.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Supports	The product framework, such as toolbars and document portals, employ a tab order that is logical and follows the visual order of elements. Ordering in the Document Object Model matches the visual order.

<p><b><u>1.3.3 Sensory Characteristics</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.3.3 (Web)</li> <li>● 10.1.3.3 (Non-web document)</li> <li>● 11.1.3.3 (Open Functionality Software)</li> <li>● 11.1.3.3 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Supports</p>	<p>The product framework, such as toolbars and document portals, do not rely solely on sensory characteristics such as shape, size, visual location, orientation, or sound to convey information about content and elements.</p>
<p><b><u>1.4.1 Use of Color</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.4.1 (Web)</li> <li>● 10.1.4.1 (Non-web document)</li> <li>● 11.1.4.1 (Open Functionality Software)</li> <li>● 11.1.4.1 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Supports</p>	<p>The product framework, such as toolbars and document portals, do not convey information without solely using color differences.</p>
<p><b><u>1.4.2 Audio Control</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.4.2 (Web)</li> <li>● 10.1.4.2 (Non-web document)</li> <li>● 11.1.4.2 (Open Functionality Software)</li> <li>● 11.1.4.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> </ul>	<p>Supports</p>	<p>The product does not have automatically played audio.</p>

<ul style="list-style-type: none"> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><a href="#">2.1.1 Keyboard</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.1.1 (Web)</li> <li>• 10.2.1.1 (Non-web document)</li> <li>• 11.2.1.1.1 (Open Functionality Software)</li> <li>• 11.2.1.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Partially supports</p>	<p>Keyboard shortcuts are required for users to move focus to major areas</p> <ul style="list-style-type: none"> <li>• Move focus to main toolbar: <ul style="list-style-type: none"> <li>◦ CMD-Option-Shift-H (macOS)</li> <li>◦ Ctrl-Alt-Shift-H (Windows)</li> </ul> </li> <li>• Move focus to line line toolbar: <ul style="list-style-type: none"> <li>◦ CMD-Option-Shift-Left (macOS)</li> <li>◦ Ctrl-Alt-Shift-Left (Windows)</li> </ul> </li> <li>• Move focus to halo toolbar <ul style="list-style-type: none"> <li>◦ CMD-Option-Shift-Up (macOS)</li> <li>◦ Ctrl-Alt-Shift-Up (Windows)</li> </ul> </li> </ul> <p><b>Exceptions include:</b></p> <ul style="list-style-type: none"> <li>• The commenting interface is not yet fully keyboard accessible. The reading and writing experiences are not easily operable with a keyboard.</li> <li>• The user avatar elements showing which other participants are currently viewing the Zoom Doc are not keyboard accessible. Remediations are planned in Q3 2025.</li> <li>• When entering presentation mode, the buttons to progress the pages can become keyboard inaccessible.</li> <li>• Users can scroll to the bottom of a Zoom Doc to leave a comment or emoji reaction. Keyboard users cannot currently reach this area.</li> <li>• Adding attachment to AI Companion is not keyboard accessible.</li> <li>• Data visualization objects such as line charts and bar graphs are not keyboard accessible.</li> </ul>

		<ul style="list-style-type: none"> <li>The AI Quick preview feature contains elements that are not yet keyboard accessible</li> </ul>
<p><b><u>2.1.2 No Keyboard Trap</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.1.2 (Web)</li> <li>10.2.1.2 (Non-web document)</li> <li>11.2.1.2 (Open Functionality Software)</li> <li>11.2.1.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Supports	The product allows for keyboard navigation throughout the application without keyboard trap.
<p><b><u>2.1.4 Character Key Shortcuts</u></b> (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.1.4 (Web)</li> <li>10.2.1.4 (Non-web document)</li> <li>11.2.1.4.1 (Open Functionality Software)</li> <li>11.2.1.4.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Supports	The product supports translating text by holding the Shift key while focused on text. This feature can be turned off.
<p><b><u>2.2.1 Timing Adjustable</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.2.1 (Web)</li> <li>10.2.2.1 (Non-web document)</li> <li>11.2.2.1 (Open Functionality Software)</li> <li>11.2.2.1 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul>	Supports	The product does not have time-limited content.

Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<a href="#">2.2.2 Pause, Stop, Hide</a> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.2.2.2 (Web)</li> <li>• 10.2.2.2 (Non-web document)</li> <li>• 11.2.2.2 (Open Functionality Software)</li> <li>• 11.2.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Supports	The product does not have automatically playing content that cannot be paused.
<a href="#">2.3.1 Three Flashes or Below Threshold</a> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.2.3.1 (Web)</li> <li>• 10.2.3.1 (Non-web document)</li> <li>• 11.2.3.1 (Open Functionality Software)</li> <li>• 11.2.3.1(Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Supports	The product does not have flashing content.
<a href="#">2.4.1 Bypass Blocks</a> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.2.4.1 (Web)</li> <li>• 10.2.4.1 (Non-web document) – Does not apply</li> </ul>	Not applicable	The product does not have repeated blocks of content across multiple pages.

<ul style="list-style-type: none"> <li>• 11.2.4.1 (Open Functionality Software) – Does not apply</li> <li>• 11.2.4.1 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>		
<p><a href="#">2.4.2 Page Titled</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.2 (Web)</li> <li>• 10.2.4.2 (Non-web document)</li> <li>• 11.2.4.2 (Open Functionality Software) - Does not apply</li> <li>• 11.2.4.2 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Supports	The product pages are titled to convey the meaning of the page
<p><a href="#">2.4.3 Focus Order</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.3 (Web)</li> <li>• 10.2.4.3 (Non-web document)</li> <li>• 11.2.4.3 (Open Functionality Software)</li> <li>• 11.2.4.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul>	Partially supports	The product pages provide a focus order that is consistent with the visual order of the application. Please see WCAG 2.1.1 Keyboard for more information about keyboard accessibility support.

Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<a href="#">2.4.4 Link Purpose (In Context)</a> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.2.4.4 (Web)</li> <li>• 10.2.4.4 (Non-web document)</li> <li>• 11.2.4.4 (Open Functionality Software)</li> <li>• 11.2.4.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Supports	The product provides links with clear text to allow the user to understand the purpose of each link. Aria-label attributes are used to describe when necessary.
<a href="#">2.5.1 Pointer Gestures</a> (Level A 2.1 only) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.2.5.1 (Web)</li> <li>• 10.2.5.1 (Non-web document)</li> <li>• 11.2.5.1 (Open Functionality Software)</li> <li>• 11.2.5.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	Supports	The product does not have functionality that requires pointer gestures.
<a href="#">2.5.2 Pointer Cancellation</a> (Level A 2.1 only) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.2.5.2 (Web)</li> <li>• 10.2.5.2 (Non-web document)</li> <li>• 11.2.5.2 (Open Functionality Software)</li> <li>• 11.2.5.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> </ul>	Supports	The product allows for activations of events to happen only on the up-event.

<ul style="list-style-type: none"> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply		
<p><b>2.5.3 Label in Name</b> (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.3 (Web)</li> <li>• 10.2.5.3 (Non-web document)</li> <li>• 11.2.5.3 (Open Functionality Software)</li> <li>• 11.2.5.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	Supports	The product uses programmatic labels that match the visual label of elements.
<p><b>2.5.4 Motion Actuation</b> (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.4 (Web)</li> <li>• 10.2.5.4 (Non-web document)</li> <li>• 11.2.5.4 (Open Functionality Software)</li> <li>• 11.2.5.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	Supports	The product does not contain any functionality that is triggered by gestures or by moving a device.
<p><b>3.1.1 Language of Page</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.1.1 (Web)</li> <li>• 10.3.1.1 (Non-web document)</li> <li>• 11.3.1.1.1 (Open Functionality Software)</li> <li>• 11.3.1.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> </ul>	Supports	The product supports the “lang” HTML tag to help assistive technologies identify the language of the page. Please note the product is not yet localized to other languages.

<ul style="list-style-type: none"> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><b>3.2.1 On Focus</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.2.1 (Web)</li> <li>• 10.3.2.1 (Non-web document)</li> <li>• 11.3.2.1 (Open Functionality Software)</li> <li>• 11.3.2.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Supports	The product does not initiate changes of context upon the focusing of elements. This is ensured by activating changes of context on “activate” and not on “focus”.
<p><b>3.2.2 On Input</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.2.2 (Web)</li> <li>• 10.3.2.2 (Non-web document)</li> <li>• 11.3.2.2 (Open Functionality Software)</li> <li>• 11.3.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Supports	<p>The product frame does not initiate changes of context upon user input.</p> <p>The product offers a feature called “Instant Translate” that allows users to instantly translate the text that is under the mouse cursor by holding the Shift key. This feature is turned off by default, and can alternatively be triggered by a keyboard shortcut instead.</p>
<p><b>3.3.1 Error Identification</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.3.1 (Web)</li> <li>• 10.3.3.1 (Non-web document)</li> <li>• 11.3.3.1.1 (Open Functionality Software)</li> <li>• 11.3.3.1.2 (Closed Software)</li> </ul>	Supports	The product uses form fields with automatic error detection and error messages. Client-side validation is used to add error text to the DOM.

<ul style="list-style-type: none"> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><b>3.3.2 Labels or Instructions</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.3.2 (Web)</li> <li>• 10.3.3.2 (Non-web document)</li> <li>• 11.3.3.2 (Open Functionality Software)</li> <li>• 11.3.3.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Supports	The product uses visible form labels that are associated with form controls. Required fields are determined programmatically and identified with appropriate labels or legends.

<p><b>4.1.1 Parsing</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.4.1.1 (Web)</li> <li>● 10.4.1.1 (Non-web document)</li> <li>● 11.4.1.1.1 (Open Functionality Software)</li> <li>● 11.4.1.1.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Supports</p>	<p>The product uses HTML according to spec. Web pages are developed to ensure that ID attributes are unique, and that elements do not contain duplicate attributes.</p>
<p><b>4.1.2 Name, Role, Value</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.4.1.2 (Web)</li> <li>● 10.4.1.2 (Non-web document)</li> <li>● 11.4.1.2.1 (Open Functionality Software)</li> <li>● 11.4.1.2.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Partially supports</p>	<p>Many of the elements in the product framework, such as toolbars and documents portal, provide the necessary role, state, and value information to assistive technologies.</p> <p><b>Exceptions include:</b></p> <ul style="list-style-type: none"> <li>● The commenting user experience contains a few elements that do not yet programmatically display their name, role, value attributes to assistive technologies. Remediations are underway.</li> <li>● Windows screen readers have difficulty parsing content character-by-character. It works fine for macOS screen readers. The Zoom Docs engineering team is currently revamping the accessibility API support to solve this. Remediations are tentatively planned for Q3 2025.</li> <li>● Data visualization objects such as line graphs and bar graphs are not yet keyboard accessible, and thus, are not yet perceivable by assistive technologies.</li> <li>● The AI Quick Preview feature contains some elements without the proper name attribute.</li> </ul>

## Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
<b><u>1.2.4 Captions (Live)</u></b> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>9.1.2.4 (Web)</li> <li>10.1.2.4 (Non-web document)</li> <li>11.1.2.4 (Open Functionality Software)</li> <li>11.1.2.4 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Not applicable	The product does not contain live media.
<b><u>1.2.5 Audio Description (Prerecorded)</u></b> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>9.1.2.5 (Web)</li> <li>10.1.2.5 (Non-web document)</li> <li>11.1.2.5 (Open Functionality Software)</li> <li>11.1.2.5 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Not applicable	The product does not contain live media.
<b><u>1.3.4 Orientation</u></b> (Level AA 2.1 only)	Supports	

Criteria	Conformance Level	Remarks and Explanations
<p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.3.4 (Web)</li> <li>10.1.3.4 (Non-web document)</li> <li>11.1.3.4 (Open Functionality Software)</li> <li>11.1.3.4 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>		The product does not restrict its view to a single display orientation
<p><a href="#">1.3.5 Identify Input Purpose</a> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.3.5 (Web)</li> <li>10.1.3.4 (Non-web document)</li> <li>11.1.3.5 (Open Functionality Software)</li> <li>11.1.3.5 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Supports	The product properly identifies input purposes where appropriate.
<p><a href="#">1.4.3 Contrast (Minimum)</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.4.3 (Web)</li> <li>10.1.4.3 (Non-web document)</li> <li>11.1.4.3 (Open Functionality Software)</li> <li>11.1.4.3 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> </ul>	Partially supports	<p>The product follows the minimal color contrast ratio for the text over the background.</p> <p>Exceptions Include:</p> <ul style="list-style-type: none"> <li>Some elements in the activity center have insufficient color contrast.</li> </ul>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>602.3 (Support Docs)</li> </ul>		
<p><a href="#">1.4.4 Resize text</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.4.4 (Web)</li> <li>10.1.4.4 (Non-web document)</li> <li>11.1.4.4.1 (Open Functionality Software)</li> <li>11.1.4.4.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Supports	The product web pages use frameworks that support the resizing of text.
<p><a href="#">1.4.5 Images of Text</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.4.5 (Web)</li> <li>10.1.4.5 (Non-web document)</li> <li>11.1.4.5.1 (Open Functionality Software)</li> <li>11.1.4.5.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Supports	The product uses text rather than images of text to present information.
<p><a href="#">1.4.10 Reflow</a> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.4.10 (Web)</li> <li>10.1.4.10 (Non-web document)</li> <li>11.1.4.10.1 (Open Functionality Software)</li> <li>11.1.4.10.2 (Closed Software)</li> </ul>	Supports	The product framework, such as toolbars and document portals, do not require scrolling in two dimensions to present content without loss of information.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply		
<p><b>1.4.11 Non-text Contrast</b> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.4.11 (Web)</li> <li>10.1.4.11 (Non-web document)</li> <li>11.1.4.11 (Open Functionality Software)</li> <li>11.1.4.11 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	Partially supports	<p>The product UI follows the 3:1 minimal contrast ratio for the visual presentation UI components against adjacent colors.</p> <p><b>Exceptions Include:</b></p> <ul style="list-style-type: none"> <li>Focus indicators for many menu items utilize a grey background fill that does not pass a 3:1 color contrast.</li> </ul>
<p><b>1.4.12 Text Spacing</b> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.4.12 (Web)</li> <li>10.1.4.12 (Non-web document)</li> <li>11.1.4.12 (Open Functionality Software)</li> <li>11.1.4.12 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	Supports	<p>The product supports spacing changes without the loss of content.</p>
<p><b>1.4.13 Content on Hover or Focus</b> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.4.13 (Web)</li> <li>10.1.4.13 (Non-web document)</li> <li>11.1.4.13 (Open Functionality Software)</li> <li>11.1.4.13 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul>	Supports	<p>The product utilizes content on hover or focus which are hoverable, and persistent.</p>

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 – Does not apply		
<p><b>2.4.5 Multiple Ways</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.4.5 (Web)</li> <li>10.2.4.5 (Non-web document) – Does not apply</li> <li>11.2.4.5 (Open Functionality Software) – Does not apply</li> <li>11.2.4.5 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software) – Does not apply to non-web software</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	Supports	The product only contains a few pages.
<p><b>2.4.6 Headings and Labels</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.4.6 (Web)</li> <li>10.2.4.6 (Non-web document)</li> <li>11.2.4.6 (Open Functionality Software)</li> <li>11.2.4.6 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Supports	The product provides descriptive labels and headings all throughout to help users understand the content structure of pages.
<p><b>2.4.7 Focus Visible</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.4.7 (Web)</li> <li>10.2.4.7 (Non-web document)</li> </ul>	Partially supports	<p>The product provides a visible focus indicator when elements receive keyboard focus.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"> <li>Some elements in the activity center do not show a visible focus indicator. Remediations are currently planned for Q2 2025.</li> </ul>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 11.2.4.7 (Open Functionality Software)</li> <li>• 11.2.4.7 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><b>3.1.2 Language of Parts</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.1.2 (Web)</li> <li>• 10.3.1.2 (Non-web document)</li> <li>• 11.3.1.2 (Open Functionality Software) – Does not apply</li> <li>• 11.3.1.2 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Supports	The product supports the HTML language attribute.
<p><b>3.2.3 Consistent Navigation</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.2.3 (Web)</li> <li>• 10.3.2.3 (Non-web document) – Does not apply</li> <li>• 11.3.2.3 (Open Functionality Software) – Does not apply</li> <li>• 11.3.2.3 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> </ul>	Supports	The product provides re-used navigation in the same order between pages.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>		
<p><b>3.2.4 Consistent Identification</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.3.2.4 (Web)</li> <li>10.3.2.4 (Non-web document) – Does not apply</li> <li>11.3.2.4 (Open Functionality Software) – Does not apply</li> <li>11.3.2.4 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software) – Does not apply to non-web software</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	Supports	The product is designed with product components and visual style uniformity in mind.
<p><b>3.3.3 Error Suggestion</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.3.3.3 (Web)</li> <li>10.3.3.3 (Non-web document)</li> <li>11.3.3.3 (Open Functionality Software)</li> <li>11.3.3.3 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Supports	The product uses form fields with automatic error detection and error descriptions.
<p><b>3.3.4 Error Prevention (Legal, Financial, Data)</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.3.3.4 (Web)</li> <li>10.3.3.4 (Non-web document)</li> <li>11.3.3.4 (Open Functionality Software)</li> <li>11.3.3.4 (Closed Software)</li> </ul>	Supports	The product identifies input errors for financial transactions.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<a href="#">4.1.3 Status Messages</a> (Level AA 2.1 only) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.4.1.3 (Web)</li> <li>• 10.4.1.3 (Non-web document) – Does not apply</li> <li>• 11.4.1.3 (Open Functionality Software) – Does not apply</li> <li>• 11.4.1.3 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	Supports	The product utilizes some alerts with the “role=alert” attributes to make the status message programmatically available to assistive technologies.